


EG202DKSZ

HOJA DE ESPECIFICACIONES TÉCNICAS

Model	EG202DKSZ			 <p>With CE Certificate for EU</p>
System	48V/5KW AC System			
Key Components				
Battery	150amh lithium battery			
Motor	5KW AC Motor			
Controller	Toyota NEOS-48M350(350A@2minutes)			
Performance				
Passenger capacity	4			
Range (loaded) based on flat road at a speed of 20km/h (km)*	>70 km			
Max. speed @12.49:1 gear ratio	35 km/h			
Minimum turning radius (m)	3			
Max. climbing ability (loaded) @ 12.49:1 gear ratio	22%			
Max. movement after brake at speed of 20km/h	≤4m			
Max. loading weight	320kgs			
Net weight	640kgs			
Dimensions				
Overall dimensions (mm)	2950x1340x1990			
Min. ground clearance (mm)	N/A			
Wheelbase (mm)	1680			
Front wheel tread (mm)	850			
Rear wheel tread (mm)	975			
Body and Frame				
Frame	Welded steel framework with phosphate+electro-coating treatment			
Body	PP plastic front body + PP plastic rear body			
Color (front body, rear body and top)	solid color			
Roof	Plastic, 4 seats, black color Roof collar painted matching with vehicle body			
Windshield	Organic glass Windshield, hinged. (folding in two parts) laminated windshield			
2point seat belt	2point seat belt (front seat and back seat, total 4 seat belts)			
front bumper	Carbon steel, powder coating			
Large Seats(front seat):				
1) backrest and cushion	Rebond seat + artificial leather			
2) armrest	Formed			
3) plastic seat bottom	\			
Floor	rubber			
Cup holders	6 cups drink holders (four front on dashboard,rear on rear facing seat)			
Glove box	\			
Glove box door (include two locks) in black plastic	2 doors per set			
Side trim	Plastic side trim			
Score card holder	on steering wheel			
Towing bracket	on front of golf car			
Side rear view mirror	Two pieces per cart Turning lights on side rear view mirror			
golf bag holder	golf bag holder(Special requirement)			
Rear trunk	Ice / Tool Bucket (Under back seat)			
Dashborad	carbon fiber style			
Electric system				
Lighting system and horn	2 headlights, 2 front turn signals, 2 taillights(each combined 1 brake light with 1 turn signal), with DC-DC converter (converting from 48V to 12V), horn.			
Reversing alarm	\			
Meter LED screen	speed,battery volume, bluetooth phone, mileage, headlight indicator,radio,music, emergency light indicator, turn signal indicator, USB ,rear view camarrow ,touchscreen supoort Carplay and Andriod system			
USB plug	Mounted on the dashboard-two plugs USB plug (one Type-C, another USB2.0 Type A)			
bagwell liner	\			
Charger	China origin, input 110V-240V~50Hz-60Hz, output 48V, 25A onboard			
Steering and Suspension				
Steering system	Single-stage rack and pinion steering system, automatic rocker compensating function			
Brake system	4-wheel hydraulic disc brake + EM parking			
Accelerator	Stepless speed change			
Suspension system	Front and rear plate spring + vibration absorber			
Driving mode	Rear axle two stage deceleration, motor direct driving			
Rear axle	Integrated, Gear ratio 12.49:1			
Wheel&Tyre	23*10-14 6PR, 14*7 Aluminum wheel			